



AERONAUTICAL ACCESSORIES, INC.

P.O. BOX 3689

BRISTOL, TENNESSEE 37625-3689 U.S.A.

TELEPHONE: 423-538-5151

800-251-7094

TELEFAX: 423-538-8469 E-MAIL: sales@aero-access.com

INSTALLATION INSTRUCTIONS

REPLACEMENT INTERIOR TRIM


for

Bell 206L-3, L-4 Model Helicopters

Report No. AA-89002

Revision F

April 24, 2003



LOG OF REVISIONS

Rev.	Date	Description	Effected Pages
-	2/16/89	Original Release	All
A-E	11/2/92- 12/14/98	Various Technical Updates	All
F	4/24/03	Added Log of Revisions page	2
		Added 206-415-133/-134 part numbers	7

These instructions provide the information necessary to install the **AERONAUTICAL ACCESSORIES, INC. REPLACEMENT INTERIOR TRIM** on Bell 206L-3 and L-4 model helicopters. These instructions are FAA approved under STC No. SH3298SO.

NOTE

If a complete kit is to be installed, use recommended sequence of installation (page 3).

1. Remove old interior trim part(s) to be replaced, taking care not to damage adjacent parts. Adjacent parts may need to be removed or loosened to gain access. Retain all fastening hardware as some may be reused upon installation.
2. If applicable, remove all old adhesive in area **REPLACEMENT INTERIOR TRIM** is to be installed. Clean surface as required.
3. Due to slight differences from airframe to airframe, some trimming of the part may be required. The old part may be used as a guide for trimming the new part.

NOTE

If installing **REPLACEMENT INTERIOR TRIM** with electrical wiring, use existing wires from previous part. If wiring is not present, wire must be run to helicopter's circuit breaker panel.

4. Once fit is established, prepare surface for the installation of the foam tape and/or velcro by abrading the bonding surface with scotchbrite and wiping clean with alcohol. Remove backing from the adhesive foam tape strips and/or velcro and install the part into position.
5. Reinstall any fastening hardware previously removed.
6. Clean **REPLACEMENT INTERIOR TRIM** with mild, nonabrasive soap.

CAUTION

Do not use solvents such as acetone, benzene, carbon tetrachloride, dry cleaning compounds, lacquer thinners, window sprays, or kitchen scouring compounds on plastic.

7. Weight change is negligible. Weight and balance is not affected.
8. Installation is now complete.

The following is a recommended sequence of installation for the **AERONAUTICAL ACCESSORIES, INC.** Replacement Interior Trim Kit.

NOTE

All pads and blankets should be installed prior to installing Interior Trim.

NOTE

(ADS): For Aircraft Equipped with Air Distribution System Interiors.

NOTE

(STD): For Aircraft without Air Distribution System Interiors.

1. Rollover Panel: L/H 206-425-161 & R/H -162
2. Forward Overhead: L/H 206-417-153 & R/H -154 (ADS), or
L/H 206-417-157 & R/H 206-417-158 (STD)
3. Overhead: R/H 206-435-180 & L/H -181
4. Headliner: L/H 206-435-183 & R/H -184
5. Vert. Tunnel Panel Lower: L/H 206-423-181 & R/H -182
6. Vert. Tunnel Panel Upper: L/H 206-423-195 & R/H -196
7. Overhead Center: 206-435-175 (STD), or 206-435-179 (ADS)
8. Vert. Tunnel Panel Aft: 206-442-172
9. Fire Extinguisher Cover: 206-429-169
10. Nose Section Side Panel: L/H 206-401-151 & R/H -152
11. Overhead Tab: L/H 206-402-171 & R/H 206-402-172
12. Door Overhead: L/H 206-417-155 & R/H -156
+ Door Overhead: L/H 206-416-107 & R/H -108
13. Door Post: L/H 206-402-165 & R/H -166
14. Collective Trim Panel: 206-419-164
15. Map Pocket: 206-419-165

+ Denotes usage of product on S/N 51403 and subsequent models only

16. Seatback Closeout L/H Upper: 206-419-161
17. Seatback Closeout L/H Lower: 206-419-163
18. Seatback Closeout R/H: 206-419-162
19. Co-Pilot Collective Panel: 206-419-157
20. Seat Bottom Closeout Panel: L/H 206-419-155 & R/H -156
21. Seatback Panel: R/H 206-440-122 & L/H -123
22. Seat Closeout: L/H 206-440-120 & R/H -121
23. Hat Bin: 206-434-137
24. Scuff Plate: L/H 206-400-141 & R/H -142
25. Heel Rest: 206-414-031
26. Litter Door Bracket Cover: 206-443-139
27. Scuff Plate: L/H 206-439-137 & R/H -138
28. Trim Cover: L/H 206-419-159 & R/H -160
29. Door Window Fwd: L/H 206-416-005 & R/H -006 ☐
+ Door Window Fwd: L/H 206-416-107 & R/H -108
30. Door Window Aft: L/H 206-416-105 & R/H -106 ☐
+ Door Panel Lower: L/H 206-416-107 & R/H -108
31. Door Panel: R/H 206-415-130 & L/H -131 ☐
+ Door Panel Lower: L/H 206-415-133 & R/H -134
32. Rotor Brake Panel: 206-417-160
33. Panel: 206-419-166 ☐
34. Center Window Upper: L/H 206-437-115 & R/H -116 ☐
+ Center Window Upper: L/H 206-437-117 & R/H -118
35. Center Window Lower: L/H 206-438-133 & R/H -134 ☐
+ Center Window Lower: L/H 206-438-135 & R/H -136

- 36. Window Assy: L/H 206-433-259 & R/H -260
 - * 37. Trim Light Cover: L/H 206-435-173 & R/H -174
 - 38. Door Window Trim Fwd: L/H 206-441-185 & R/H -186
 - 39. Door Window Trim Aft: L/H 206-441-187 & R/H -188
 - * 40. Pass. Armrest: 206-456-103
 - * 41. Cyclic Boot Assembly: 206-001-005
 - 42. Fabric Insert: L/H 206-001-103 & R/H 206-001-104
-
- * Optional / Non-Kit item / available separately
 - + Denotes usage of product on S/N 51403 and subsequent models only
 - Denotes usage of product on L-3 models only

PARTS LIST & ATTACHING HARDWARE REQUIREMENTS

Interior Trim Description	AAI P/N	Attaching Hardware Description	Part Number	Qty. Ea.
<u>FRONT SECTION</u>				
Scuff Plate, L/H	206-400-141	Screw	AN525-10R9	3
Scuff Plate, R/H	206-400-142	Screw	AN525-10R9	3
Nose Section Side Panel, L/H	206-401-151	Screw	120-079-6-10	2
		Washer	603-6	2
Nose Section Side Panel, R/H	206-401-152	Rivnut	MS27130A-7	2
Door Post, L/H	206-402-165	Screw	120-079-6-10	2
Door Post, R/H	206-402-166	Washer	603-6	2
		Speed Clinch	C60207AA 020	2
Overhead Tab, L/H	206-402-171	None Req'd.		
Overhead Tab, R/H	206-402-172	None Req'd.		
Heel Rest	206-414-031	Screw	MS24694S52	6
Door Panel Assy, R/H	206-415-130	Screw	120-079-6-10	7
Door Panel Assy, L/H	206-415-131	Washer	603-6	7
		Rivnut	MS27130A-7	7
Door Panel Assy, R/H	206-415-133	Screw	120-079-6-10	7
Door Panel Assy, L/H	206-415-134	Washer	603-6	7
		Rivnut	MS27130A-7	7
Door Window Fwd, L/H	206-416-005	Screw	120-079-6-10	2
Door Window Fwd, R/H	206-416-006	Washer	603-6	2
Door Window Aft, L/H	206-416-105	Screw	120-079-6-10	3
Door Window Aft, R/H	206-416-106	Washer	603-6	3
Forward Overhead, L/H: For (ADS) Interior	206-417-153	Screw	120-079-6-10	2
For (STD) Interior	206-417-157	Washer	603-6	2
Forward Overhead, R/H: For (ADS) Interior	206-417-154	Screw	120-079-6-10	2
For (STD) Interior	206-417-158	Washer	603-6	2
Door Overhead, L/H	206-417-155	Screw	120-079-6-10	2
Door Overhead, R/H	206-417-156	Washer	603-6	2

AERONAUTICAL ACCESSORIES, INC.

PARTS LIST & ATTACHING HARDWARE REQUIREMENTS

Interior Trim Description	AAI P/N	Attaching Hardware Description	Part Number	Qty. Ea.
<u>FRONT SECTION continued</u>				
Rotor Brake Panel	206-417-160	Screw	120-079-6-10	4
		Washer	603-6	4
		Rivnut	MS27130A-7	4
Seat Bottom Closeout Panel, L/H	206-419-155	Screw	120-079-8-10	1
Seat Bottom Closeout Panel, R/H	206-419-156	Washer	603-8	1
Co-Pilot Collective Panel	206-419-157	None Req'd.		
Trim Cover, L/H	206-419-159	None Req'd.		
Trim Cover, R/H	206-419-160	None Req'd.		
Seatback Closeout, L/H Upper	206-419-161	None Req'd.		
Seatback Closeout, R/H	206-419-162	None Req'd.		
Seatback Closeout, L/H Lower	206-419-163	None Req'd.		
Collective Trim Panel	206-419-164	None Req'd.		
Map Pocket	206-419-165	None Req'd.		
Panel	206-419-166	Screw	120-079-6-10	2
		Washer	603-6	2
Cyclic Boot Assembly	206-001-005	Screw	MS27039-0807	6
		Washer	AN960-8L	6
<u>CENTER SECTION</u>				
Vert. Tunnel Panel Lower, L/H	206-423-181	None Req'd.		
Vert. Tunnel Panel Lower, R/H	206-423-182	None Req'd.		
Vert. Tunnel Panel Upper, L/H	206-423-195	None Req'd.		
Vert. Tunnel Panel Upper, R/H	206-423-196	None Req'd.		
Rollover Panel, L/H	206-425-161	Screw	120-079-6-10	1
Rollover Panel, R/H	206-425-162	Washer	603-6	1
Fire Extinguisher Cover	206-429-169	None Req'd.		
Center Window, Upr, L/H	206-437-115	Screw	120-079-6-10	4
Center Window, Upr, R/H	206-437-116	Washer	603-6	4

PARTS LIST & ATTACHING HARDWARE REQUIREMENTS

Interior Trim Description	AAI P/N	Attaching Hardware Description	Part Number	Qty. Ea.
<u>CENTER SECTION continued</u>				
Center Window, Lwr, L/H	206-438-133	Screw	120-079-6-10	7
Center Window, Lwr, R/H	206-438-134	Washer	603-6	7
Vert. Tunnel Panel Aft	206-442-172	None Req'd.		
Litter Door Bracket Cover	206-443-139	Screw	AN525-10R9	1
Armrest	206-456-103	Screw Washer	MS27039-1-07 AN970-3	4 4
<u>REAR SECTION</u>				
Window Assy, L/H	206-433-259	Screw	120-079-6-10	7
		Washer	603-6	5
		Rivnut	MS27130A-7	2
		Washer	601-6	2
		Screw	120-079-10-10	4
		Decal, L/H	206-072-672-1	1
Window Assy, R/H	206-433-260	Screw	120-079-6-10	7
		Washer	603-6	5
		Rivnut	MS27130A-7	2
		Washer	601-6	2
		Screw	120-079-10-10	4
		Decal, R/H	206-079-672-3	1
Hat Bin	206-434-137	Screw	120-079-6-8	4
		Washer	603-6	4
		Decal	206-406-243	1
Trim Light Cover L/H	206-435-173	Screw	120-079-6-10	8
Trim Light Cover R/H	206-435-174	Washer	601-6	8
		Rivnut	MS27130A-7	8
Overhead Center: For (ADS) Interior	206-435-179	Screw	120-079-6-8	10
For (STD) Interior	206-435-175	Washer	603-6	10
Overhead, R/H	206-435-180	Screw	120-079-6-10	1
Overhead, L/H	206-435-181	Washer	603-6	1
		Rivnut	MS27130A-7	1
Headliner, L/H	206-435-183	Screw	120-079-6-10	4
Headliner, R/H	206-435-184	Washer	603-6	4
		Rivnut	MS27130A-7	4
Scuff Plate, L/H	206-439-137	Screw	AN525-10R9	4
Scuff Plate, R/H	206-439-138	Screw	AN525-10R9	4

PARTS LIST & ATTACHING HARDWARE REQUIREMENTS

Interior Trim Description	AAI P/N	Attaching Hardware Description	Part Number	Qty. Ea.
<u>REAR SECTION continued</u>				
Seat Closeout, L/H	206-440-120	None Req'd.		
Seat Closeout, R/H	206-440-121	None Req'd.		
Seatback Panel, R/H	206-440-122	None Req'd.		
Seatback Panel, L/H	206-440-123	None Req'd.		
Door Window Trim, Fwd, L/H	206-441-185	Screw	120-079-6-10	2
Door Window Trim, Fwd, R/H	206-441-186	Washer	603-6	2
Door Window Trim, Aft, L/H	206-441-187	Screw	120-079-6-10	3
Door Window Trim, Aft, R/H	206-441-188	Washer	603-6	3
Fabric Insert Assy L/H	206-001-103	None Req'd		
Fabric Insert Assy R/H	206-001-104	None Req'd		

United States of America
Department of Transportation -- Federal Aviation Administration

Supplemental Type Certificate

Number SH3298SO

This certificate issued to

Bell Helicopter Textron, Inc.
441 Industrial Park Rd.
Piney Flats, TN 37686

certifies that the change in the type design for the following product with the limitations and conditions therefor as specified hereon meets the airworthiness requirements of Part 6 of the Civil Air Regulations.

Original Product -- Type Certificate Number : H2SW
Make : Bell Helicopter Textron Canada Limited
Model : 206A/B/L/L-1/L-3/L-4

Description of Type Design Change: Manufacture of Interior Trim Parts in accordance with Aeronautical Accessories, Inc. (AAI) Drawing List Report No. AA-92074, no change, dated July 20, 1992, and installation in accordance with the following AAI Installation Instructions: Report No. AA-85026, Revision C, dated February 28, 1989; Report AA-88061, Revision C, dated September 12, 1991; Report AA-88066, Revision B, dated August 22, 1989; and Report AA-89002, no change, dated February 16, 1989; or later FAA approved revisions.

Limitations and Conditions: The installer must determine whether this design change is compatible with previously approved modifications. If the holder agrees to permit another person to use this certificate to alter the product, the holder shall give the other person written evidence of that permission.

This certificate and the supporting data which is the basis for approval shall remain in effect until surrendered, suspended, revoked or a termination date is otherwise established by the Administrator of the Federal Aviation Administration.

Date of application : July 21, 1992

Date reissued : February 01, 2011

Date of issuance : August 7, 1992

Date amended : August 15, 1995



By direction of the Administrator

John Hardie
(Signature)
James A. Richmond, Acting Manager
Rotorcraft Certification Office
Southwest Region

(Title)

INSTRUCTIONS: The transfer endorsement below may be used to notify the appropriate FAA Regional Office of the transfer of this Supplemental Type Certificate.

The FAA will reissue the certificate in the name of the transferee and forward it to him.

TRANSFER ENDORSEMENT

Transfer the ownership of Supplemental Type Certificate Number _____

to *(Name of transferee)* _____

(Address of transferee) _____
(Number and street)

(City, State, and ZIP code)

from *(Name of grantor)* *(Print or type)* _____

(Address of grantor) _____
(Number and street)

(City, State, and ZIP code)

Extent of Authority (if licensing agreement): _____

Date of Transfer: _____

Signature of grantor *(In ink)*: _____



CIVIL AVIATION
SAFETY AUTHORITY
AUSTRALIA

OCT 03 1995

Ref: F95/1731

Manager
Aeronautical Accessories, Inc.
P.O. Box 3689
Bristol, Tennessee 37625-3689
U.S.A.

Dear Sir.

Re: FAA STC SH3298SO - Bell Helicopter 206A/B/L/L-1/L-3

We have received an application from:-


Manager
Helitech Pty Ltd
P.O. Box 138
Hamilton Central QLD 4007
Australia,

- for validation of the subject STC.

This is to advise that the STC has been validated to the revision dated August 7 1992 and entered in the "Register Of Foreign STCs Acceptable in Australia".

Please advise this office of any subsequent revisions to this STC.

Yours faithfully


R Smith
Manager
Aircraft Certification

22 September 1995

Civil Aviation Safety Authority
P.O. Box 2005, Canberra City ACT 2601, Australia
Telephone (06) 268 4111
Facsimile (06) 268 5692



REPÚBLICA FEDERATIVA DO BRASIL
COMANDO DA AERONÁUTICA
DEPARTAMENTO DE PESQUISAS E DESENVOLVIMENTO
CENTRO TÉCNICO AEROESPACIAL
INSTITUTO DE FOMENTO E COORDENAÇÃO INDUSTRIAL

CERTIFICADO DE HOMOLOGAÇÃO SUPLEMENTAR DE TIPO
(Supplemental Type Certificate)

NÚMERO 2001S04-07
(Number)

Este certificado, emitido com base na Lei nº 7565 "Código Brasileiro de Aeronáutica", de 19 de dezembro de 1986,
(This certificate, issued in the basis of the Law No. 7565 "Código Brasileiro de Aeronáutica", dated 19 December 1986,

é conferido ao (à): Aeronautical Accessories, Inc.

(is granted to.)

P.O. Box 3689

Bristol, Tennessee 37625-3689

USA

por ter a modificação ao projeto de tipo do produto abaixo citado, observadas as limitações e condições
(for having the change to the type design of the product mentioned below, with the limitations and conditions therefor as)

especificadas, satisfeito aos requisitos de aeronavegabilidade aplicáveis.

(specified hereon, met the applicable airworthiness requirements.)

Produto Original - Número do Certificado de Tipo: H2SW (FAA)

(Original Product - Type Certificate No.)

Fabricante: Bell Helicopter Textron, Inc.

(Manufacturer.)

Modelo(s): 206A, 206B, 206L, 206L-1, 206L-3 and 206L-4.

(Model(s).)

DESCRIÇÃO DA MODIFICAÇÃO AO PROJETO DE TIPO:

(Description of Type Design Change:)

Installation of Interior Trim Parts in accordance with Aeronautical Accessories, Inc. Drawing List Report No. AA-92074, Rev. J, dated 01 DEC 2000, or later approved revisions.

This CHST validates in Brazil the STC # SH3298SO, issued by FAA (USA).

LIMITAÇÕES E CONDIÇÕES:

(Limitations and Conditions)

See continuation sheet for applicable data.

DATAS:

(Dates of.)

Do Requerimento: 03 JAN 2001

(Application)

Da emissão: 09 APR 2001

(Issue.)

Da reemissão:

(Reissue.)

JOSÉ LUIZ R. BELDERRAIN - Ten.-Cel.-Eng.

Chefe da Divisão de Homologação Aeronáutica
(Chief, Divisão de Homologação Aeronáutica)

JOSÉ CARLOS ARGOLO - Cel.-Av.

Diretor do Instituto de Fomento e Coordenação Industrial
(Director, Instituto de Fomento e Coordenação Industrial)



REPÚBLICA FEDERATIVA DO BRASIL
COMANDO DA AERONÁUTICA
DEPARTAMENTO DE PESQUISAS E DESENVOLVIMENTO
CENTRO TÉCNICO AEROESPACIAL
INSTITUTO DE FOMENTO E COORDENAÇÃO INDUSTRIAL

Folha de Continuação ao
(Continuation Sheet to)

CERTIFICADO DE HOMOLOGAÇÃO SUPLEMENTAR DE TIPO
(Supplemental Type Certificate)

NÚMERO 2001S04-07
(Number)

LIMITAÇÕES E CONDIÇÕES:
(Limitations and Conditions)

- I. The approval of this type design change should not be extended to other aircraft of this model on which other previously approved modifications are incorporated unless it is determined by the installer that the relationship between this change and any of those other previously approved modifications, including changes in Type Design, will introduce no adverse effect upon the airworthiness of that aircraft.
- II. If the holder agrees to permit another person to use this certificate to alter the product, the holder shall give the other person written evidence of that permission.
- III. A copy of this Certificate shall be maintained as part of the permanent records for the modified aircraft.

----- END -----



Transport Canada
Ontario Region

Transports Canada
Région de l'Ontario

UNCLASSIFIED
Your file #

4th Floor
4900 Yonge Street,
Toronto ON M2N 6A5

Our file #
5010-0-09-0380

May 7, 2009

Aeronautical Accessories, Inc.
P.O. Box 3689
Bristol, Tennessee 37625-3689

Subject: **Transport Canada Acceptance of FAA STC Number SH3298SO**

Dear Sir or Madam:

This office has reviewed a request from **Aeronautical Accessories, Inc.**, for Transport Canada acceptance of the subject STC in accordance of Manufacture of Interior Trim Parts with Aeronautical Accessories, Inc. (AAI) Drawing List Report No. AA-92074, no change, dated July 20, 1992, and installation in accordance with the following AAI Installation Instructions: Report No. AA-85026, Revision C, dated February 28, 1989; Report AA-88061, Revision C, dated September 12, 1991; Report AA-88066, Revision B, dated August 22, 1989; and Report AA-89002, no change, dated February 16, 1989; or later approved FAA approved revision.

In accordance with our current policy associated with the review of foreign STC's some STC's applicable to certain categories of aircraft may be accepted solely on the basis of their foreign certification, and do not require the issue of a corresponding certificate by Transport Canada. The subject STC falls within these criteria.

This STC will be entered in the national index of STC's that have been reviewed and accepted by Transport Canada for installation on Canadian-registered aeronautical products.

This letter confirms formal acceptance of the referenced STC by Transport Canada.

If you have any inquiries or require further assistance, in regards to this submission please don't hesitate to contact our office or myself quoting Napa project number 5010-O-09-0380.

Sincerely,

Alex Pompei, P. Eng, MBA

A/Regional Superintendent, Aircraft Certification

Transport Canada Civil Aviation - Ontario Region / Transports Canada Civil Aviation - Région de l'Ontario

4900 Yonge Street, 4th Floor (PAI) 4900, rue Yonge, 4e étage (PAI)

Toronto, Ontario M2N 6A5

Toronto, Ontario M2N 6A5

Government of Canada

Gouvernement du Canada

416.952.6033

416.952.0370

416.526-1575

alex.pompei@tc.gc.ca

CC: Mr. E. Esparza, Fort Worth FAA AOC

Canada

www.tc.gc.ca

RDIMS/SGDDI :
Author: GREIGJ

For AUSTRO CONTROL GmbH

<u>Description</u>	<u>STC</u>	<u>Model (Cont'd)</u>
Lightweight Replacement Nitrogen Reservoir Assembly	SR00175AT	Bell 206A, B, L, L-1, L-3, L-4
Electrical Inflation Valve Retrofit Kit	SR00822AT	Bell 206A, B, L, L-1, L-3
Air Deflector	SR01556AT	Bell 407
Air Deflector	SR01582AT	Bell 206A, B, L, L-1, L-3, L-4
Dual Video Camera System and Monitor	SH2292SO	Bell 206A, B, L, L-1, L-3
Hinged Circuit Breaker Panel	SR00347AT	Bell 206A, B, L, L-1, L-3, L-4

Issue 2 has been raised to correct minor editorial errors.

Issue 3 has been raised to include the Bell 206L4, where applicable.

Issue 4 has been raised to include the Crow Vertical Slide Windows.

Issue 5 has been raised to include the Replacement Drive Train Seals.

Issue 6 has been raised to include the Tail Rotor Pedal Lockout and Bell 206 L-4 applicability to High and Low Skid Gear.

Issue 7 has been raised to include the Replacement Interior Trim


Issue 8 has been raised to include Replacement Door Locks and Locking Fuel Cap

Issue 9 has been raised to include replacement Nitrogen Reservoir and Electrical Inflation Valves for the Bell Emergency Flotation Equipment.

Issue 10 has been raised to include installation of Air Deflection on crew and passenger door windows.

Issue 11 has been raised to include STCs SR01582AT, SH2292SO and SR00347AT.

Issue 12 has been raised to include the Bell 407, where applicable.



P Sparkes

For the Civil Aviation Authority

Date 8 October 1999



AIRWORTHINESS APPROVAL NOTE NO: 23814 Issue 12

APPLICANT: CAA Internal Purposes

AIRCRAFT TYPE: Bell 206 Series

REGISTRATION NO: Not Applicable

CONSTRUCTOR'S NO: Not Applicable

Validation of Aeronautical Accessories FAA Bell 206 Series STC Approvals

In accordance with BCAR B2-2 para 7.2.3 procedures, the following Aeronautical Accessories, Inc modifications are approved for use in the Transport Category (Passengers) when installed in accordance with the FAA STC on UK registered Bell/Agusta Bell 206 Series aircraft, as appropriate:

<u>Description</u>	<u>STC</u>	<u>Model</u>
Range Extender	SH2189SW	Bell 206A,B
Longrange Extender	SH1322SO	Bell 206L,L-1
Raingutter	SH1148SO	Bell 206A,B,L,L-1,L-3
Spacemaker	SH227WE	Bell 206A,B,L,L-1,L-3,L-4,407
Maintenance Stop	SH1281SO	Bell 206A,B
Folding Maintenance Stop	SH2243SO	Bell 206A,B,L,L-1,L-3,L-4,407
Step/Handle	SH1282SO	Bell 206A,B
Step/Handle	SH1366SO	Bell 206L,L-1,L-3,L-4,407
High Skid Gear	SH1392SO	Bell 206A,B
High Skid Gear	SH2804SO	Bell 206L,L-1,L-3,L-4
Low Skid Gear	SH2764SO	Bell 206A,B
Low Skid Gear	SH2941SO	Bell 206L,L-1,L-3,L-4
Flitestop	SH1322SO	Bell 206A,B,L,L-1,L-3,L-4
Baggage Floor Protector	SH1147SO	Bell 206A,B,L,L-1,L-3,L-4,407
Cyclic Cover	SH244WE	Bell 206A,B,L,L-1,L-3,L-4
Collective Safety Cover	SH2173SO	Bell 206A,B,L,L-1,L-3,L-4
Crew Wedge Window	SH1815SO	Bell 206A,B,L,L-1,L-3,L-4
Replacement Windows	SH1664SO	Bell 206A,B,L,L-1,L-3,L-4
Crew Shoulder Harness	SH2073SO	Bell 206A,B,L,L-1,L-3,L-4
Door Openers	SH1990SO	Bell 206A,B,L,L-1,L-3,L-4,407
VRS	SH7182SW	Bell 206A,B
Cabin Floor Protector	SH2289SO	Bell 206A,B,L,L-1,L-3,L-4,407
Crew Vertical Slide Windows	SH2139SO	Bell 206A,B,L,L-1,L-3,L-4,L-4 (Modified)
Replacement Drive Train Seals	SR00539AT	Bell 206A,B,L,L-1,L-3,L-4
Tail Rotor Pedal Lockout	SR00513AT	Bell 206A,B,L,L-1,L-3,L-4
Replacement Interior Trim	SID298SO	Bell 206A,B,L,L-1,L-3
Replacement Door Locks and Latching	SR00095AT	Bell 206A,B,L,L-1,L-3,L-4
Fuel Cap		

**APPLICANT
AIRCRAFT PROJECTS DEPARTMENT
FLIGHT MANUALS SECTION
POWERPLANT DEPARTMENT
REGIONAL MANAGER:-**